

Απλές αρχιτεκτονικού φωτισμού και ξενοδοχείων

Material : Aluminium - Steel
 LED : SMD Epistar / SAMSUNG
 Voltage : 220-240V/50Hz
 CRI : Ra>80
 Warranty : 2years

Fair n' Square



09-8623050



Fair n' Square Synthesis


Blades



09-8623011



09-8623012



09-8623013

Type	number	Wattage	Color	Dimensions
Fair n' Square	09-8623050	35W	Sand White - 3000K	724x724x80mm
Blade - S	09-8623011	6W	Sand White - 3000K	230x35x30mm
Blade - M	09-8623012	12W	Sand White - 3000K	380x35x30mm
Blade - L	09-8623013	18W	Sand White - 3000K	530x35x30mm


Albergo



09-8623010



09-8623020



09-8623040



3W Reading Light + 6W Backlight

Beam



09-8623030



Ova



09-8623031

Type	number	Wattage	Color	Dimensions
Albergo1	09-8623010	6W	Sand White - 3000K	120x95x83mm
Albergo2	09-8623020	6W	Sand White - 3000K	120x125mm
Albergo3	09-8623040	3W+6W	Sand White - 3000K	150x110mm
Beam	09-8623030	6.8W	Sand White - 3000K	100x100x100mm
Ova	09-8623031	6.8W	Sand White - 3000K	140x70x40mm

OUTDOOR ALUMINIUM IP65

Material : Aluminium DARK GREY & MATT WHITE Body with OPAL PC Antiglare Diffuser

LED : PCB, GU10 & E27 Powered by EPISTAR

Voltage : 220-240V/50Hz

CRI : Ra>80

Warranty : 3years



07-8621014



07-8621012



07-8621010



07-8621011

Type	number	Wattage	Base	Color	Dimensions
LED Wall Lamp	07-8621014	12W	PCB	Dark Grey - 3000K	160x110x50mm
LED Wall Lamp	07-8621012	12W	PCB	Dark Grey - 3000K	175x106x50mm
LED Wall Lamp	07-8621010	6W	PCB	Dark Grey - 3000K	106x115x50mm
LED Wall Lamp	07-8621011	6W	PCB	Matt White - 3000K	106x115x50mm
UP-DOWN	07-8621001	Max 7W	2xGU10	Dark Grey	145x65x95mm
UP-DOWN	07-8621004	Max 7W	2xGU10	Matt White	145x65x95mm
UP-DOWN	07-8621002	Max 7W	1xGU10	Dark Grey	80x65x95
UP-DOWN	07-8621005	Max 7W	1xGU10	Matt White	80x65x95



07-8621004



07-8621001



07-8621005



07-8621002

OUTDOOR PLASTIC IP65

Material : ABS Anti-UV DARK GREY & MATT WHITE Body with OPAL PC Antiglare Diffuser

LED : PCB & E27 Powered by EPISTAR

Voltage : 220-240V/50Hz

CRI : Ra>80

Warranty : 3years



07-8620008



07-8620018



07-8620009



07-8620007



07-8620017

Type	_number	Wattage	Base	Color	Dimensions
LED Wall Lamp	07-8620008	10W	PCB	Dark Grey - 3K/4K	170x46x80mm
LED Wall Lamp	07-8620018	10W	PCB	Matt White - 3K/4K	170x46x80mm
LED Wall Lamp	07-8620009-8	8W	1xE27	3000K / 6000K	230x90x101mm
LED Wall Lamp	07-8620009-10	10W	1xE27	3000K / 6000K	230x90x101mm
LED Wall Lamp	07-8620009-12	12W	1xE27	3000/4000/6000K	230x90x101mm
LED Wall Lamp	07-8620017	12W	PCB	Dark Grey - 3K/4K	265x98x99mm
LED Wall Lamp	07-8620007-8	8W	1xE27	3000K / 6000K	320x133x134mm
LED Wall Lamp	07-8620007-10	10W	1xE27	3000K / 6000K	320x133x134mm
LED Wall Lamp	07-8620007-12	12W	1xE27	3000/4000/6000K	320x133x134mm
UP-DOWN SQUARE	07-8620020	Max 9W	2xGU10	Dark Grey	215x113x90mm
UP-DOWN SQUARE	07-8620021	Max 9W	2xGU10	Matt White	215x113x90mm
UP-DOWN ROUND	07-8620022	Max 9W	2xGU10	Dark Grey	220x113x90mm
UP-DOWN ROUND	07-8620023	Max 9W	2xGU10	Matt White	220x113x90mm



07-8620020



07-8620021



07-8620022



07-8620023

OUTDOOR PLASTIC IP65

Material : ABS Anti-UV DARK GREY Body with OPAL PC Antiglare Diffuser

LED : PCB & E27 Powered by EPISTAR

Voltage : 220-240V/50Hz

CRI : Ra>80

Warranty : 3years



Type	number	Wattage	Base	Kelvin	Dimensions
LED Wall Lamp	07-8620005-8	8W	1xE27	3000K / 6000K	320x130x132mm
LED Wall Lamp	07-8620005-10	10W	1xE27	3000K / 6000K	320x130x132mm
LED Wall Lamp	07-8620005-12	12W	1xE27	3000/4000/6000K	320x130x132mm
LED Wall Lamp	07-8620006-8	8W	1xE27	3000K / 6000K	320x130x129mm
LED Wall Lamp	07-8620006-10	10W	1xE27	3000K / 6000K	320x130x129mm
LED Wall Lamp	07-8620006-12	12W	1xE27	3000/4000/6000K	320x130x129mm
LED Ceiling Lamp	07-8620010-8	16W	2xE27	3000K / 6000K	φ300x85mm
LED Ceiling Lamp	07-8620010-10	20W	2xE27	3000K / 6000K	φ300x85mm
LED Ceiling Lamp	07-8620010-12	24W	2xE27	3000/4000/6000K	φ300x85mm
LED Ceiling Lamp	07-8620011-8	16W	2xE27	3000K / 6000K	296x296x78mm
LED Ceiling Lamp	07-8620011-10	20W	2xE27	3000K / 6000K	296x296x78mm
LED Ceiling Lamp	07-8620011-12	24W	2xE27	3000/4000/6000K	296x296x78mm
LED Path Light	07-8620012	3W	PCB	3000K	150x90x32mm
LED Path Light	07-8620001	3W	PCB	3000K - 4000K	230x80x27mm
LED Path Light	07-8620002	2W	PCB	3000K	230x80x27mm
LED Path Light	07-8620003	3.5W	PCB	3000K - 4000K	125x125x27mm
LED Path Light	07-8620004	1.5W	PCB	3000K	125x125x27mm



FILAMENTS DIMMABLE

Material : Clear - Milky Glass & Silver Base

LED : Ceramic Filament & LONG Filament EPISTAR chip

Voltage : 220-240V/50Hz

CRI : Ra>80

Warranty : 3years



06-8619040



06-8619041



06-8619042



06-8619043



06-8619046



06-8619047

LONG FILAMENTS



06-8619045



06-8619044

LONG FILAMENTS

Type	number	Wattage	Base	Kelvin	Lumen	Beam	Dimensions	Moq
C37 CLEAR	06-8619040	6W	E14	2700K	660Lm	360deg.	98x35mm	20
C37 Tip CLEAR	06-8619041	6W	E14	2700K	660Lm	360deg.	125x35mm	20
G45 E14 CLEAR	06-8619042	6W	E14	2700K	660Lm	360deg.	89x45mm	20
G45 E27 CLEAR	06-8619043	6W	E27	2700K	660Lm	360deg.	86x45mm	20
A60 CLEAR	06-8619044	8W	E27	2700K	880Lm	360deg.	108x60mm	20
ST64 CLEAR	06-8619045	8W	E27	2700K	880Lm	360deg.	142x64mm	10
G95 CLEAR	06-8619046	8W	E27	2700K	880Lm	360deg.	135x95mm	10
G125 CLEAR	06-8619047	8W	E27	2700K	880Lm	360deg.	176x125mm	10
C37 MILKY	06-8619050	6W	E14	2700K	660Lm	360deg.	98x35mm	20
C37 Tip FROSTY	06-8619051	6W	E14	2700K	660Lm	360deg.	125x35mm	20
G45 E14 MILKY	06-8619052	6W	E14	2700K	660Lm	360deg.	89x45mm	20
G45 E27 MILKY	06-8619053	6W	E27	2700K	660Lm	360deg.	86x45mm	20
A60 MILKY	06-8619054	8W	E27	2700K	880Lm	360deg.	108x60mm	20
G95 Non-DIMM	06-8619056	10W	E27	2700K	1100Lm	360deg.	135x95mm	10
G125 Non DIMM	06-8619057	12W	E27	2700K	1320Lm	360deg.	176x125mm	10



06-8619050



06-8619051



06-8619052



06-8619053



06-8619054



06-8619056



06-8619057

FILAMENTS Dimmable Vintage

Material : Amber Glass & Bronze Base / Clear Glass & Silver Base

LED : Ceramic Filament EPISTAR chip

Voltage : 220-240V/50Hz

CRI : Ra>80

Warranty : 3years



Type	_number	Wattage	Base	Kelvin	Lumen	Beam	Dimensions	Moq
C37 Dimmable	06-8619001	4W	E14	2700K	420Lm	360deg.	100x35mm	20
C37 Tip Dimmable	06-8619002	4W	E14	2700K	420Lm	360deg.	130x35mm	20
A60 Dimmable	06-8619003	6W	E27	2700K	600Lm	360deg.	105x60mm	20
ST64 Dimmable	06-8619004	6W	E27	2700K	600Lm	360deg.	142x64mm	10
G95 Dimmable	06-8619005	8W	E27	2700K	800Lm	360deg.	135x95mm	10
G125 Dimmable	06-8619006	8W	E27	2700K	880Lm	360deg.	176x125mm	10
T20 Dimmable	06-8622001	4W	E14	2700K	400Lm	360deg.	120x20mm	10
T30 Dimmable	06-8619007	4W	E27	2700K	420Lm	360deg.	180x30mm	10
T30 Dimmable	06-8619008	6W	E27	2700K	600Lm	360deg.	300x30mm	10
T30 Dimmable	06-8619008	4W	E27	2700K	420Lm	360deg.	300x30mm	10
T30 Dimmable	06-8622002	6W	E27	2700K	600Lm	360deg.	225x30mm	10
T30 Dimmable	06-8622003	8W	E27	2700K	800Lm	360deg.	300x30mm	10



06-8622001 Clear



06-8619007 Amber



06-8619008 Amber



06-8622002 Clear



06-8622003 Clear

E27 Classical, Candles, Mini Globes, G9 & G4

Material : Heat conductive plastic & aluminium / Ceramic & Silicone

LED : 2835smd EPISTAR chip

Voltage : 220-240V/50Hz & 12V AC/DC

CRI : Ra>80

Warranty : 3years



Type	_number	Wattage	Base	Kelvin	Lumen	Beam	Dimensions	Moq
A60	06-8617010	12W	E27	3000K	1100Lm	270deg.	110x60mm	20
A60	06-8617017	12W	E27	4000K	1150Lm	270deg.	110x60mm	20
A60	06-8617011	12W	E27	6000K	1200Lm	270deg.	110x60mm	20
A60	06-8617012	10W	E27	3000K	900Lm	270deg.	116x60mm	20
A60	06-8617013	10W	E27	6000K	990Lm	270deg.	116x60mm	20
A60 Dimmable	06-8617005	10W	E27	3000K	900Lm	270deg.	115x60mm	10
A60	06-8617014	8W	E27	3000K	640Lm	270deg.	110x60mm	20
A60	06-8617015	8W	E27	6000K	700Lm	270deg.	110x60mm	20
C37	06-8617026	7W	E14	3000K	600Lm	270 deg.	115x37mm	30
C37	06-8617028	7W	E14	4000K	630Lm	270 deg.	100x37mm	30
C37	06-8617027	7W	E14	6000K	660Lm	270 deg.	100x37mm	30
C37 Dimmable	06-8617004	6W	E14	3000K	470Lm	270 deg.	115x37mm	10
G45	06-8617020	7W	E14	3000K	550Lm	220 deg.	78x45mm	30
G45	06-8617021	7W	E14	6000K	600Lm	220 deg.	78x45mm	30
G45	06-8617023	7W	E27	3000K	550Lm	220 deg.	74x45mm	30
G45	06-8617024	7W	E27	6000K	600Lm	220 deg.	74x45mm	30



Type	_number	Wattage	Base	Kelvin	Lumen	Beam	Dimensions	Moq
G9	06-8619010	10W	G9	2700K	1000Lm	360deg.	69x19mm	20
G9	06-8619008	8W	G9	2700K	800Lm	360deg.	69x19mm	20
G9	06-8618006	6W	G9	2700K	550Lm	360deg.	60x15mm	20
G9	06-8618003	5W	G9	3000K	400Lm	360deg.	50x15mm	30
G9	06-8618004	5W	G9	6000K	440Lm	360deg.	50x15mm	30
G9 Dimmable	06-8618015	5W	G9	2700K	500Lm	360deg.	60x15mm	20
G9 Dimmable	06-8618005	4W	G9	3000K	350Lm	360deg.	64x16mm	20
G9 Total Glass	06-8618011	2.5W	G9	2700K	250Lm	360deg.	47x13mm	30
G4 12V AC/DC	06-8618020	2W	G4	2700K	200Lm	360deg.	37x10mm	20

Spot / Project Lights

Material : Heat conductive plastic & aluminium
 LED : 2835/3030smd EPISTAR chip / COB EPISTAR
 Voltage : 220-240V/50Hz & 12V AC/DC
 CRI : Ra>80
 Warranty : 2-3years



05-8617001



05-8602020



05-8611003



05-8611001



05-8602024



05-8602000

Type	_number	Wattage	Base	Kelvin	Lumen	Beam	Dimensions	Moq
DIMM to WARM	05-8602000	5W	GU10	18-27K		38deg.	55x50mm	10
GU10 SMD	05-8617001	3W	GU10	3000K	250Lm	100deg.	55x50mm	30
GU10 SMD	05-8617002	3W	GU10	6500K	300Lm	100deg.	55x50mm	30
GU10 Dimmable	05-8602020	5W	GU10	3000K	400Lm	38deg.	55x50mm	10
GU10 Dimmable	05-8602021	5W	GU10	6000K	440Lm	38deg.	55x50mm	10
GU10 Dimmable	05-8602022	5W	GU10	4500K	420Lm	38deg.	55x50mm	10
GU10 SMD	05-8617003	5.5W	GU10	3000K	400Lm	120deg.	55x50mm	20
GU10 SMD	05-8617004	5.5W	GU10	4000K	430Lm	120deg.	55x50mm	20
GU10 SMD	05-8611004	5.5W	GU10	6000K	450Lm	120deg.	55x50mm	20
GU10 COB	05-8611001	7W	GU10	3000K	580Lm	38deg.	55x50mm	20
GU10 COB	05-8611005	7W	GU10	6000K	650Lm	38deg.	55x50mm	20
GU10 Dimmable	05-8602024	9W	GU10	3000K	600Lm	38deg.	75x50mm	10
MR16	05-8602023	5W	GU5.3	3000K	350Lm	30deg.	47x50mm	10



05-8602023



05-8603011



05-8611002



06-300400-2-3

Type	_number	Wattage	Base	Kelvin	Lumen	Beam	Dimensions	Moq
PAR30 Dimmable	05-8603011	15W	E27	3000K	1000Lm	30deg.	80x95mm	10
R63	05-8611002	8W	E27	3000K	600Lm	120deg.	105x63mm	10
T8 60cm	06-3004001	10W	G13	ww/nw/cw	850Lm	200deg.	600x25mm	10
T8 120cm	06-3004002	18W	G13	ww/nw/cw	1800Lm	200deg.	1200x25mm	10
T8 150cm	06-3004003	24W	G13	ww/nw/cw	2000Lm	200deg.	1500x25mm	10



Για οποιαδήποτε απορία σας παρακαλούμε
να επικοινωνήστε μαζί μας

For any query ,please contact us

KLIMAFOT S.A.

70, Alimou ave., 174 55 Alimos, Athens - Greece, **tel.**: +30 210 98 22 111, +30 210 98 26 966,

fax: +30 210 98 26 579, **e-mail:** info@klimafot.com, www.klimafot.com