

**BT75 E27 Bullet**  
**id\_nr 06-8622030**

- ⚡ 240V/50Hz - 4W - 160Lm
- 🔪 Amber Glass / Bronze Base
- ☀️ WarmWhite 1800K
- 🔄 Dimmable
- 💡 LED smd EPISTAR
- 👁️ 360deg.

**ST64 E27 Avocado**  
**id\_nr 06-8622020**

- ⚡ 240V/50Hz - 4W - 160Lm
- 🔪 Amber Glass / Bronze Base
- ☀️ WarmWhite 1800K
- 🔄 Dimmable
- 💡 LED smd EPISTAR
- 👁️ 360deg.

**T30 E27 Stick**  
**id\_nr 06-8622052**

- ⚡ 240V/50Hz - 2.5W - 100Lm
- 🔪 Amber Glass / Bronze Base
- ☀️ WarmWhite 1800K
- 🔄 Dimmable
- 💡 LED smd EPISTAR
- 👁️ 360deg.

**T30 E27 Stick**  
**id\_nr 06-8622053**

- ⚡ 240V/50Hz - 2.5W - 120Lm
- 🔪 Clear Glass / Silver Base
- ☀️ CoolWhite 5500K
- 🔄 Dimmable
- 💡 LED smd EPISTAR
- 👁️ 360deg.

**C35 E14 Candle**  
**id\_nr 06-8622015**

- ⚡ 240V/50Hz - 2.5W - 100Lm
- 🔪 Amber Glass / Bronze Base
- ☀️ WarmWhite 1800K
- 🔄 Dimmable
- 💡 LED smd EPISTAR
- 👁️ 360deg.

**A60 E27 Classical**  
**id\_nr 06-8622014**

- ⚡ 240V/50Hz - 4W - 160Lm
- 🔪 Amber Glass / Bronze Base
- ☀️ WarmWhite 1800K
- 🔄 Dimmable
- 💡 LED smd EPISTAR
- 👁️ 360deg.


**T45 E27 Stick**  
**id\_nr 06-8622050**

- ⚡ 240V/50Hz - 4W - 160Lm
- 🔪 Amber Glass / Bronze Base
- ☀️ WarmWhite 1800K
- 🔄 Dimmable
- 💡 LED smd EPISTAR
- 👁️ 360deg.


**T45 E27 Stick**  
**id\_nr 06-8622051**

- ⚡ 240V/50Hz - 4W - 180Lm
- 🔪 Clear Glass / Silver Base
- ☀️ CoolWhite 5500K
- 🔄 Dimmable
- 💡 LED smd EPISTAR
- 👁️ 360deg.


DIY LED BULBS



**3L Liner**  
Clear & Amber




**Drop**  
Clear & Smoke



**Fit**  
Clear & Smoke

TREEPORT Coffee Bar, inspired by LAMSI LIGHTS CHIOS



**T30 E27 Long Stick**  
**id\_nr 06-8622003**  
⚡ 240V/50Hz - 8W - 800Lm  
🔪 Clear Glass / Silver Base  
☀️ WarmWhite 2700K  
🔄 Dimmable  
💡 LED chip EPISTAR  
👁️ 360deg.




**T30 E27 Medium Stick**  
**id\_nr 06-8622002**  
⚡ 240V/50Hz - 6W - 600Lm  
🔪 Clear Glass / Silver Base  
☀️ WarmWhite 2700K  
🔄 Dimmable  
💡 LED chip EPISTAR  
👁️ 360deg.




ADAPTOR E27-E27




Check all available LED\_id G9 lamps in page 122-123.




**ST64**  
Clear, Amber & Smoke




**Pinecone**  
Clear & Smoke



**Rhombus**  
Clear & Smoke



**Diamond**  
Clear & Amber





**Cube**  
Clear & Amber




**T20 E14 Short Stick**  
**id\_nr 06-8622001**


- ⚡ 240V/50Hz - 4W - 400Lm
- 🔪 Clear Glass / Silver Base
- ☀️ WarmWhite 2700K
- 🔄 Dimmable
- 💡 LED chip EPSTAR
- 👁️ 360deg.



**Concave**  
Clear & Amber




**Liner**  
Clear & Amber





**Rough**  
Clear & Amber



# LED RETRO




LED RETRO    INCANDESCENT EDISON BULB




**G200 E27 Giant Globe**  
id\_nr 06-8622010

- ⚡ 240V/50Hz - 4W - 160Lm
- 🔪 Amber Rhombus Glass / Bronze Base
- ☀️ WarmWhite 1800K
- 🔄 Dimmable
- 💡 LED smd EPISTAR
- 👁️ 360deg.




**G95 E27 Globe**  
id\_nr 06-8622012

- ⚡ 240V/50Hz - 4W - 160Lm
- 🔪 Amber Glass / Bronze Base
- ☀️ WarmWhite 1800K
- 🔄 Dimmable
- 💡 LED smd EPISTAR
- 👁️ 360deg.




**G80 E27 Mini Globe**  
id\_nr 06-8622013

- ⚡ 240V/50Hz - 4W - 160Lm
- 🔪 Amber Rhombus Glass / Bronze Base
- ☀️ WarmWhite 1800K
- 🔄 Dimmable
- 💡 LED smd EPISTAR
- 👁️ 360deg.





**G125 E27 Globe**  
id\_nr 06-8622011

- ⚡ 240V/50Hz - 4W - 160Lm
- 🔪 Amber Glass / Bronze Base
- ☀️ WarmWhite 1800K
- 🔄 Dimmable
- 💡 LED smd EPISTAR
- 👁️ 360deg.




**S165 E27 Drop**  
id\_nr 06-8622040

- ⚡ 240V/50Hz - 4W - 160Lm
- 🔪 Amber Glass / Bronze Base
- ☀️ WarmWhite 1800K
- 🔄 Dimmable
- 💡 LED smd EPISTAR
- 👁️ 360deg.



# LED FILAMENT CLEAR



**C37 E14 Clear Candle**  
id\_nr 06-8619040



**C37 E14 Clear Candle with Tail**  
id\_nr 06-8619041



**G45 E14 Clear Mini Globe**  
id\_nr 06-8619042



**G45 E27 Clear Mini Globe**  
id\_nr 06-8619043



**A60 E27 Clear Classical**  
id\_nr 06-8619044



**ST64 E27 Clear Avocado**  
id\_nr 06-8619045




**G125 E27 Clear Globe**  
id\_nr 06-8619047



**G95 E27 Clear Globe**  
id\_nr 06-8619046

id_nr	⚡	🔪	☀️	🔄	💡	👁️	SIZE
06-8619040	6W - 660Lm 240V/50Hz	Clear Glass / Silver Base	WarmWhite 2700K	Dimmable	LED short filament EPISTAR chip	360deg.	L=35mm, H=98mm
06-8619041	6W - 660Lm 240V/50Hz	Clear Glass / Silver Base	WarmWhite 2700K	Dimmable	LED short filament EPISTAR chip	360deg.	L=35mm, H=125mm
06-8619042	6W - 660Lm 240V/50Hz	Clear Glass / Silver Base	WarmWhite 2700K	Dimmable	LED short filament EPISTAR chip	360deg.	L=45mm, H=89mm
06-8619043	6W - 660Lm 240V/50Hz	Clear Glass / Silver Base	WarmWhite 2700K	Dimmable	LED short filament EPISTAR chip	360deg.	L=45mm, H=86mm
06-8619044	8W - 880Lm 240V/50Hz	Clear Glass / Silver Base	WarmWhite 2700K	Dimmable	LED short filament EPISTAR chip	360deg.	L=60mm, H=108mm
06-8619045	8W - 880Lm 240V/50Hz	Clear Glass / Silver Base	WarmWhite 2700K	Dimmable	LED long filament EPISTAR chip	360deg.	L=64mm, H=142mm
06-8619046	8W - 880Lm 240V/50Hz	Clear Glass / Silver Base	WarmWhite 2700K	Dimmable	LED long filament EPISTAR chip	360deg.	L=95mm, H=135mm
06-8619047	8W - 880Lm 240V/50Hz	Clear Glass / Silver Base	WarmWhite 2700K	Dimmable	LED long filament EPISTAR chip	360deg.	L=125mm, H=176mm



**C37 E14 Milky Candle**  
id\_nr 06-8619050



**C37 E14 Frosty Candle with Tail**  
id\_nr 06-8619051



**G125 E27 Milky Globe**  
id\_nr 06-8619057



**G45 E14 Milky Mini Globe**  
id\_nr 06-8619052



**G45 E27 Milky Mini Globe**  
id\_nr 06-8619053



**A60 E27 Milky Classical**  
id\_nr 06-8619054



**G95 E27 Milky Globe**  
id\_nr 06-8619056

id_nr	⚡	🔪	☀️	🔄	💡	👁️	SIZE
06-8619050	6W - 660Lm 240V/50Hz	Milky Glass / Silver Base	WarmWhite 2700K	Dimmable	LED short filament EPISTAR chip	360deg.	L=35mm, H=98mm
06-8619051	6W - 660Lm 240V/50Hz	Milky Glass / Silver Base	WarmWhite 2700K	Dimmable	LED short filament EPISTAR chip	360deg.	L=35mm, H=125mm
06-8619052	6W - 660Lm 240V/50Hz	Milky Glass / Silver Base	WarmWhite 2700K	Dimmable	LED short filament EPISTAR chip	360deg.	L=45mm, H=89mm
06-8619053	6W - 660Lm 240V/50Hz	Milky Glass / Silver Base	WarmWhite 2700K	Dimmable	LED short filament EPISTAR chip	360deg.	L=45mm, H=86mm
06-8619054	8W - 880Lm 240V/50Hz	Milky Glass / Silver Base	WarmWhite 2700K	Dimmable	LED short filament EPISTAR chip	360deg.	L=60mm, H=108mm
06-8619056	10W - 1100Lm 240V/50Hz	Milky Glass / Silver Base	WarmWhite 2700K	Non Dimmable	LED short filament EPISTAR chip	360deg.	L=95mm, H=135mm
06-8619057	12W - 1320Lm 240V/50Hz	Milky Glass / Silver Base	WarmWhite 2700K	Non Dimmable	LED short filament EPISTAR chip	360deg.	L=125mm, H=176mm



**C37 E14 Amber Candle**  
id\_nr 06-8619001



**C37 E14 Amber Candle with Tail**  
id\_nr 06-8619002



**T30 E27 Medium Clear Stick**  
id\_nr 06-8622002



**T30 E27 Long Amber Stick**  
id\_nr 06-8619008



**T30 E27 Long Clear Stick**  
id\_nr 06-8622003



**A60 E27 Amber Classical**  
id\_nr 06-8619003



**ST64 E27 Amber Avocado**  
id\_nr 06-8619004



**G95 E27 Amber Globe**  
id\_nr 06-8619005



**G125 E27 Amber Globe**  
id\_nr 06-8619006



**T20 E14 Mini Clear Stick**  
id\_nr 06-8622001




**T30 E27 Short Amber Stick**  
id\_nr 06-8619007

id_nr	⚡	🔪	☀️	🔄	💡	👁️	SIZE
06-8619001	4W - 440Lm 240V/50Hz	Amber Glass / Bronze Base	WarmWhite 2700K	Dimmable	LED short filament EPISTAR chip	360deg.	L=35mm H=90mm
06-8619002	4W - 440Lm 240V/50Hz	Amber Glass / Bronze Base	WarmWhite 2700K	Dimmable	LED short filament EPISTAR chip	360deg.	L=35mm H=125mm
06-8619003	6W - 660Lm 240V/50Hz	Amber Glass / Bronze Base	WarmWhite 2700K	Dimmable	LED short filament EPISTAR chip	360deg.	L=60mm H=108mm
06-8619004	6W - 660Lm 240V/50Hz	Amber Glass / Bronze Base	WarmWhite 2700K	Dimmable	LED long filament EPISTAR chip	360deg.	L=64mm H=142mm
06-8619005	8W - 880Lm 240V/50Hz	Amber Glass / Bronze Base	WarmWhite 2700K	Dimmable	LED short filament EPISTAR chip	360deg.	L=95mm H=135mm
06-8619006	8W - 880Lm 240V/50Hz	Amber Glass / Bronze Base	WarmWhite 2700K	Dimmable	LED short filament EPISTAR chip	360deg.	L=125mm H=176mm
06-8622001	4W - 440Lm 240V/50Hz	Clear Glass / Silver Base	WarmWhite 2700K	Dimmable	LED long filament EPISTAR chip	360deg.	L=20mm H=120mm
06-8619007	4W - 440Lm 240V/50Hz	Amber Glass / Bronze Base	WarmWhite 2700K	Dimmable	LED short filament EPISTAR chip	360deg.	L=30mm H=180mm
06-8622002	6W - 660Lm 240V/50Hz	Clear Glass / Silver Base	WarmWhite 2700K	Dimmable	LED short filament EPISTAR chip	360deg.	L=30mm H=225mm
06-8619008	6W - 660Lm 240V/50Hz	Amber Glass / Bronze Base	WarmWhite 2700K	Dimmable	LED short filament EPISTAR chip	360deg.	L=30mm H=300mm
06-8622003	8W - 880Lm 240V/50Hz	Clear Glass / Silver Base	WarmWhite 2700K	Dimmable	LED short filament EPISTAR chip	360deg.	L=30mm H=300mm



# LED FILAMENT INVERTED



**G125 E27 Inverted Chrome LEAF**  
id\_nr 06-8619010-LEAF

**G125 E27 Inverted Gold LEAF**  
id\_nr 06-8619020-LEAF

**G125 E27 Inverted Copper LEAF**  
id\_nr 06-8619030



**G125 E27 Inverted Chrome**  
id\_nr 06-8619010



**G125 E27 Inverted Gold**  
id\_nr 06-8619020



**G125 E27 Inverted Copper**  
id\_nr 06-8619030



**A60 E27 Inverted Chrome**  
id\_nr 06-8619012



**A60 E27 Inverted Gold**  
id\_nr 06-8619022



**A60 E27 Inverted Copper**  
id\_nr 06-w



**G45 E14 Inverted Chrome**  
id\_nr 06-8619011





**G45 E14 Inverted Gold**  
id\_nr 06-8619021



**G45 E14 Inverted Copper**  
id\_nr 06-8619031

id_nr	⚡	✂	☀	🔄	💡	👁	SIZE
<b>06-8619010-LEAF</b>	8W - 880Lm 240V/50Hz	Chrome Leaf Glass / Silver Base	WarmWhite 2700K	Dimmable	LED short filament EPISTAR chip	180deg.	L=125mm, H=176mm
<b>06-8619020-LEAF</b>	8W - 880Lm 240V/50Hz	Gold Leaf Glass / Silver Base	WarmWhite 2700K	Dimmable	LED short filament EPISTAR chip	180deg.	L=125mm, H=176mm
<b>06-8619030-LEAF</b>	8W - 880Lm 240V/50Hz	Copper Leaf Glass / Silver Base	WarmWhite 2700K	Dimmable	LED short filament EPISTAR chip	180deg.	L=125mm, H=176mm
<b>06-8619010</b>	8W - 880Lm 240V/50Hz	Chrome Glass / Silver Base	WarmWhite 2700K	Dimmable	LED short filament EPISTAR chip	180deg.	L=125mm, H=176mm
<b>06-8619020</b>	8W - 880Lm 240V/50Hz	Gold Glass / Silver Base	WarmWhite 2700K	Dimmable	LED short filament EPISTAR chip	180deg.	L=125mm, H=176mm
<b>06-8619030</b>	8W - 880Lm 240V/50Hz	Copper Glass / Silver Base	WarmWhite 2700K	Dimmable	LED short filament EPISTAR chip	180deg.	L=125mm, H=176mm
<b>06-8619012</b>	6W - 660Lm 240V/50Hz	Chrome Glass / Silver Base	WarmWhite 2700K	Dimmable	LED short filament EPISTAR chip	180deg.	L=60mm, H=108mm
<b>06-8619022</b>	6W - 660Lm 240V/50Hz	Gold Glass / Silver Base	WarmWhite 2700K	Dimmable	LED short filament EPISTAR chip	180deg.	L=60mm, H=108mm
<b>06-8619032</b>	6W - 660Lm 240V/50Hz	Copper Glass / Silver Base	WarmWhite 2700K	Dimmable	LED short filament EPISTAR chip	180deg.	L=60mm, H=108mm
<b>06-8619011</b>	4W - 440Lm 240V/50Hz	Chrome Glass / Silver Base	WarmWhite 2700K	Dimmable	LED short filament EPISTAR chip	180deg.	L=45mm, H=78mm
<b>06-8619021</b>	4W - 440Lm 240V/50Hz	Gold Glass / Silver Base	WarmWhite 2700K	Dimmable	LED short filament EPISTAR chip	180deg.	L=45mm, H=78mm
<b>06-8619031</b>	4W - 440Lm 240V/50Hz	Copper Glass / Silver Base	WarmWhite 2700K	Dimmable	LED short filament EPISTAR chip	180deg.	L=45mm, H=78mm



**A65 E27 FLAME**  
id\_nr 06-8618032





**C37 E14 FLAME**  
id\_nr 06-8618031



**G9 FLAME**  
id\_nr 06-8618030



id_nr	⚡	✂	☀	💧	💡	👁	SIZE
06-8618032	3W / 10-80Lm 240V/50Hz	Milky PC / Silver Base	1400K	1. Gravity Sensor 2. Flame Mode 3. 100% Light Mode 4. Fade in Fade Out Mode	LED SMD EPISTAR	360deg	L=65mm, H=130mm
06-8618031	3W / 10-80Lm 240V/50H	Milky PC / Silver Base	1400K	1. Flame Mode 2. 100% Light Mode 3. Fade in Fade Out Mode	LED SMD EPISTAR	360deg	L=37mm, H=115mm
06-8618030	1W / 10-30Lm 240V/50Hz	Frosted Pc / Ceramic Base	1400K	Flame Mode	LED SMD EPISTAR	360deg	L=15mm, H=60mm



**G9 12W**  
id\_nr 06-8618012



**G9 10W**  
id\_nr 06-8618010



**G9 6W**  
id\_nr 06-8618006  
**G9 5W Dimmable**  
id\_nr 06-8618015



**G9 5W**  
id\_nr 06-8618025 Warm White  
id\_nr 06-8618026 Natural White  
id\_nr 06-8618027 Cool White




**G9 2.5W Total Glass**  
id\_nr 06-8618011



**G4 2W Silicone**  
id\_nr 06-8618020

id_nr	⚡	⚡	☀️	🔄	💡	👁️	SIZE
06-8618012	12W - 1100Lm 240V/50Hz	Clear Pc / Ceramic Base	WarmWhite 2700K	Non Dimmable	LED SMD EPISTAR	360deg.	L=25mm, H=63mm
06-8618010	10W - 1000Lm 240V/50H	Clear Pc / Ceramic Base	WarmWhite 2700K	Non Dimmable	LED SMD EPISTAR	360deg.	L=19mm, H=69mm
06-8618008	8W - 800Lm 240V/50Hz	Clear Pc / Ceramic Base	WarmWhite 2700K	Non Dimmable	LED SMD EPISTAR	360deg	L=19mm, H=69mm
06-8618006	6W - 550Lm 240V/50Hz	Clear Pc / Ceramic Base	WarmWhite 2700K	Non Dimmable	LED SMD EPISTAR	360deg	L=15mm, H=60mm
06-8618015	5W - 500Lm 240V/50Hz	Clear Pc / Ceramic Base	WarmWhite 2700K	CCD Dimmable	LED SMD EPISTAR	360deg	L=15mm, H=60mm
06-8618025 WarmWhite	5W - 450Lm 240V/50Hz	Clear Pc / Ceramic Base	WarmWhite 2700K	Non Dimmable	LED SMD EPISTAR	360deg	L=15mm, H=50mm
06-8618026 NaturalWhite	5W - 470Lm 240V/50Hz	Clear Pc / Ceramic Base	NaturalWhite 4000K	Non Dimmable	LED SMD EPISTAR	360deg	L=15mm, H=50mm
06-8618027 CoolWhite	5W - 500Lm 240V/50Hz	Clear Pc / Ceramic Base	CoolWhite 6000K	Non Dimmable	LED SMD EPISTAR	360deg	L=15mm, H=50mm
06-8618005	4W - 350Lm 240V/50Hz	Clear Pc / Ceramic Base	WarmWhite 2700K	Dimmable	LED SMD EPISTAR	360deg	L=15mm, H=50mm
06-8618011	2.5W - 250Lm 240V/50Hz	Clear Glass	WarmWhite 2700K	Non Dimmable	LED COB EPISTAR	360deg	L=13mm, H=47mm
06-8618020	2W - 200Lm 12V AC/DC	Clear Silicone	WarmWhite 2700K	Non Dimmable	LED COB EPISTAR	360deg	L=10mm, H=37mm



Household



**A60 E27 Classical**

- id\_nr 06-8617010 12W WarmWhite
- id\_nr 06-8617017 12W NaturalWhite
- id\_nr 06-8617011 12W CoolWhite
- id\_nr 06-8617012 10W WarmWhite
- id\_nr 06-8617013 10W CoolWhite
- id\_nr 06-8617005 10W Dimmable
- id\_nr 06-8617014 8W WarmWhite
- id\_nr 06-8617015 8W CoolWhite



**C37 E14 Candle**

- id\_nr 06-8617026 WarmWhite
- id\_nr 06-8617028 NaturalWhite
- id\_nr 06-8617027 CoolWhite



**G45 E14 Mini Globe**

- id\_nr 06-8617020 WarmWhite
- id\_nr 06-8617021 CoolWhite



**G45 E27 Mini Globe**

- id\_nr 06-8617023 WarmWhite
- id\_nr 06-8617024 CoolWhite


id_nr	⚡	🔪	☀️	🔄	💡	👁️	SIZE
<b>06-8617010 WarmWhite</b>	12W - 1100Lm 240V/50Hz	Milky PC	3000K	Non Dimmable	LED SMD EPISTAR chip	270deg	L=60mm, H=110mm
<b>06-8617017 NaturalWhite</b>	12W - 1150Lm 240V/50Hz	Milky PC	4000K	Non Dimmable	LED SMD EPISTAR chip	270deg	L=60mm, H=110mm
<b>06-8617011 CoolWhite</b>	12W - 1200Lm 240V/50Hz	Milky PC	6000K	Non Dimmable	LED SMD EPISTAR chip	270deg	L=60mm, H=110mm
<b>06-8617012 WarmWhite</b>	10W - 900Lm 240V/50Hz	Milky PC	3000K	Non Dimmable	LED SMD EPISTAR chip	270deg	L=60mm, H=110mm
<b>06-8617013 CoolWhite</b>	10W - 990Lm 240V/50Hz	Milky PC	6000K	Non Dimmable	LED SMD EPISTAR chip	270deg	L=60mm, H=110mm
<b>06-8617005 Dimmable</b>	10W - 900Lm 240V/50Hz	Milky PC	3000K	Dimmable with Thermal Resistor	LED SMD EPISTAR chip	270deg	L=60mm, H=110mm
<b>06-8617014 WarmWhite</b>	8W - 640Lm 240V/50Hz	Milky PC	3000K	Non Dimmable	LED SMD EPISTAR chip	270deg	L=60mm, H=110mm
<b>06-8617015 CoolWhite</b>	8W - 700Lm 240V/50Hz	Milky PC	6000K	Non Dimmable	LED SMD EPISTAR chip	270deg	L=60mm, H=110mm
<b>06-8617026 WarmWhite</b>	7W - 600Lm 240V/50Hz	Milky PC	3000K	Non Dimmable	LED SMD EPISTAR chip	270deg	L=37mm, H=100mm
<b>06-8617028 NaturalWhite</b>	7W - 630Lm 240V/50Hz	Milky PC	4000K	Non Dimmable	LED SMD EPISTAR chip	270deg	L=37mm, H=100mm
<b>06-8617027 CoolWhite</b>	7W - 660Lm 240V/50Hz	Milky PC	6000K	Non Dimmable	LED SMD EPISTAR chip	270deg	L=37mm, H=100mm
<b>06-8617020 WarmWhite</b>	7W - 600Lm 240V/50Hz	Milky PC	3000K	Non Dimmable	LED SMD EPISTAR chip	220deg	L=45mm, H=78mm
<b>06-8617021 CoolWhite</b>	7W - 660Lm 240V/50Hz	Milky PC	6000K	Non Dimmable	LED SMD EPISTAR chip	220deg	L=45mm, H=78mm
<b>06-8617023 WarmWhite</b>	7W - 600Lm 240V/50Hz	Milky PC	3000K	Non Dimmable	LED SMD EPISTAR chip	220deg	L=45mm, H=78mm
<b>06-8617024 CoolWhite</b>	7W - 660Lm 240V/50Hz	Milky PC	6000K	Non Dimmable	LED SMD EPISTAR chip	220deg	L=45mm, H=78mm



**T8 9W 60cm**  
 id\_nr 06-3004001 NaturalWhite  
 id\_nr 06-3004002 CoolWhite

**T8 18W 120cm**  
 id\_nr 06-3004003 NaturalWhite  
 id\_nr 06-3004004 CoolWhite

**T8 26W 150cm**  
 id\_nr 06-3004005 NaturalWhite  
 id\_nr 06-3004006 CoolWhite



**GU10**  
**DIMM to WARM**  
 id\_nr 05-8602000




**GU10 7W Dimmable**  
 id\_nr 05-8617007 WarmWhite  
 id\_nr 05-8617008 NaturalWhite



**GU10 7W**  
 id\_nr 05-8611001 WarmWhite  
 id\_nr 05-8611005 CoolWhite



**GU10 5.5W**  
 id\_nr 05-8617003 WarmWhite  
 id\_nr 05-8617004 NaturalWhite  
 id\_nr 05-8617005 CoolWhite



**GU10 3W**  
 id\_nr 05-8617001 WarmWhite  
 id\_nr 05-8617002 CoolWhite



**GU5.3 / MR16 5W**  
 id\_nr 05-8602023 WarmWhite



**E27 R63 8W**  
 id\_nr 05-8611002 WarmWhite




**E27 PAR30 15W Dimmable**  
 id\_nr 05-8603011

id_nr	⚡	✂	☀	↻	💡	👁	SIZE
<b>06-3004001 NaturalWhite</b> <b>06-3004002 CoolWhite</b>	9W 750Lm for NW 800Lm for CW 240V/50Hz SINGLE END	Milky Glass	4500K for NW 6000K for CW	Non Dimmable	LED SMD EPISTAR chip	270deg	L=600mm, H=26mm
<b>06-3004003 NaturalWhite</b> <b>06-3004004 CoolWhite</b>	18W 1600Lm for NW 1800Lm for CW 240V/50Hz SINGLE END	Milky Glass	4500K for NW 6000K for CW	Non Dimmable	LED SMD EPISTAR chip	270deg	L=1200mm, H=26mm
<b>06-3004005 NaturalWhite</b> <b>06-3004006 CoolWhite</b>	26W 2400Lm for NW 2600Lm for CW 240V/50Hz SINGLE END	Milky Glass	4500K for NW 6000K for CW	Non Dimmable	LED SMD EPISTAR chip	220deg	L=1500mm, H=26mm
<b>05-8602000</b>	5W 240V/50Hz	White Thermoplastic	1800K 2700K	Dimmable	LED COB EPISTAR chip	38deg	L=50mm, H=55mm
<b>05-8617007 WarmWhite</b> <b>05-8617008 NaturalWhite</b>	7W 580Lm for WW 630Lm for NW 240V/50H	White Thermoplastic	3000K 4000K	Dimmable	LED COB EPISTAR chip	38deg	L=50mm, H=55mm
<b>05-8611001 WarmWhite</b> <b>05-8611005 CoolWhite</b>	7W 580/650Lm- 240V/50Hz	White Thermoplastic	3000K 6000K	Non Dimmable	LED COB EPISTAR chip	38deg	L=50mm, H=55mm
<b>05-8617003 WarmWhite</b> <b>05-8617004 NaturalWhite</b> <b>05-8617005 CoolWhite</b>	5.5W 400Lm for WW 430Lm for NW 450Lm for CW 240V/50Hz	White Thermoplastic	3000K 4000K 6000K	Non Dimmable	LED SMD EPISTAR chip	120deg	L=50mm, H=55mm
<b>05-8617001 WarmWhite</b> <b>05-8617002 CoolWhite</b>	3W 250Lm for WW 300Lm for CW 240V/50Hz	White Thermoplastic	3000K 6000K	Non Dimmable	LED SMD EPISTAR chip	120deg	L=50mm, H=55mm
<b>05-8602023 WarmWhite</b>	5W - 400Lm 12V AC/DC	Silver Ntural Aluminium	3000K	Non Dimmable	LED COB EPISTAR chip	30deg	L=50mm, H=47mm
<b>05-8611002 WarmWhite</b>	8W - 600Lm 240V/50Hz	White Thermoplastic	3000K	Non Dimmable	LED SMD EPISTAR chip	120deg	L=63mm, H=105mm
<b>05-8603011</b>	15W - 1000Lm 240V/50Hz	Silver Aluminium	3000K	Dimmable	LED SMD EPISTAR chip	30deg	L=95mm, H=80mm



# Professional LED Strips



### High Brightness 10.9W

- ⚡ 10.9W/m - 24Vdc
- ⚡ 2700K-3000K-4000K
- ☀ 980Lm/m for 2700K
- ☀ 1094Lm/m for 3000K
- ☀ 1117Lm/m for 4000K

- id\_nr 01-8613030 for 2700K**
- id\_nr 01-8613031 for 3000K**
- id\_nr 01-8613032 for 4000K**

CRI>80  
IP20  
LED qty 120/m cuttable every 50mm  
PCB width 8mm  
LED SMD 2835 EPISTAR chip

### High Brightness 20.8W

- ⚡ 20.8W/m - 24Vdc
- ⚡ 2700K-3000K-4000K
- ☀ 1958Lm/m for 2700K
- ☀ 2006Lm/m for 3000K
- ☀ 2048Lm/m for 4000K

- id\_nr 01-8613040 for 2700K**
- id\_nr 01-8613041 for 3000K**
- id\_nr 01-8613042 for 4000K**

CRI>80  
IP20  
LED qty 240/m cuttable every 25mm  
PCB width 10mm  
Source : LED SMD 2835 EPISTAR chip

### 14.4W RGB

- ⚡ 14.4W/m - 24Vdc
- ⚡ RED -GREEN -BLUE Color Changing
- ☀ 140Lm/m for RED
- ☀ 370Lm/m for GREEN
- ☀ 80Lm/m for BLUE

- id\_nr 01-8613050**
- IP20
- LED qty 60/m cuttable every 100mm
- PCB width 10mm
- Source : LED SMD 5050 EPISTAR chip



**Single Color 8mm PCB Power Supply Connector**  
**id\_nr CN-08-2CB**



**Single Color 10mm PCB Power Supply Connector**  
**id\_nr CN-10-2CB**



**RGB 10mm PCB Power Supply Connector**  
**id\_nr CN-10-4CB**



**Single Color 8mm PCB Intermediate Connector**  
**id\_nr CN-08-2PN**



**Single Color 10mm PCB Intermediate Connector**  
**id\_nr CN-10-2PN**



**RGB 10mm PCB Intermediate Connector**  
**id\_nr CN-10-4PN**

